

Material security data sheet

Printed : 24/11/2023

Revised : LSI_2023-1-CLP du 24/11/2023

ORGANIC CAJUPUT OIL / Melaleuca cajuputi

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Commercial Name : ORGANIC CAJUPUT OIL / Melaleuca cajuputi

C.A.S Number : 8008-98-8

Country of origin : **Viet-Nam**

REACH registration number : **01-2120119951-57-XXXX**

1.2. Relevant identified uses of the substance or mixture and uses advised against

NO CONCERNED

1.3. Details of the supplier of the safety data sheet

Company : SAS ROBERTET BIO
20 ZI Rhône Vallée Sud
07250 LE POUZIN
Tel:33 (0)4.75.21.73.16
Fax :33 (0)4.75.21.75.34

1.4. Emergency telephone number

Emergency telephone number:
33(0)4 75 21 73 16 (during normal opening times 8h-17h30)

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

AH1 Aspiration hazard 1
ED12 Serious eye damage / eye irritation 2
ED12A Serious eye damage / eye irritation 2A
EHC2 Hazardous to the aquatic environment, long-term hazard 2
FL3 Flammable Liquids 3
SCI2 Skin corrosion / irritation 2
SS1 Sensitisation skin 1

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Revised : LSI_2023-1-CLP du 24/11/2023

GHS Classification :


(RegulationCLP)

Signal word: Danger

AH1 Aspiration hazard 1
ED12 Serious eye damage / eye irritation 2
ED12A Serious eye damage / eye irritation 2A
EHC2 Hazardous to the aquatic environment, long-term hazard 2
FL3 Flammable Liquids 3
SC12 Skin corrosion / irritation 2
SS1 Sensitisation skin 1

H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.



2.3. Other hazards

Content Limonene, Linalool, alpha-Pinene, beta-Pinene, Myrcene, Geraniol

3. COMPOSITION / INFORMATION ON INGREDIENT

Liste des composants à signaler :

3.1. Substances

| Numéro d'identification | Substance | Classes danger & Phrases H | LCS / Facteurs M / ATE | Percent % |
|-------------------------------------|-----------------|--|------------------------|-----------|
| CAS# 470-82-6 EINECS# 207-431-5 | Eucalyptol | ED12B, FL3, SS1B H320, H226, H317 | | 65.00 |
| CAS# 98-55-5 EINECS# 202-680-6 | alpha-Terpineol | ED12, ED12A, SC12 H319, H319, H315 | | 13.00 |
| CAS# 5989-27-5 EINECS# 227-813-5 | Limonene | AH1, EHA1, EHC3, FL3, SC12, SS1B H304, H400, H412, H226, H315, H317 | | 8.00 |
| CAS# 78-70-6 EINECS# 201-134-4 | Linalool | ED12, ED12A, SC12, SS1B H319, H319, H315, H317 | | 3.60 |
| CAS# 80-56-8 EINECS# 201-291-9 | alpha-Pinene | AH1, ATO4, EHA1, EHC1, FL3, SC12, SS1B H304, H302, H400, H410, H226, H315, H317 | ATE (Orale) : 500mg/kg | 3.50 |
| CAS# 99-85-4 EINECS# 202-794-6 | gamma-Terpinene | AH1, FL3, REP2 H304, H226, H361 | | 3.50 |

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi Revised : LSI_2023-1-CLP du 24/11/2023

| | | | |
|------------------------------------|--------------------|---|------|
| CAS# 586-62-9 EINECS# 209-578-0 | Terpinolene | AH1, EHA1, EHC1, FL3, SS1B H304, H400, H410, H226, H317 | 3.00 |
| CAS# 87-44-5 EINECS# 201-746-1 | beta-Caryophyllene | AH1, SS1B H304, H317 | 2.50 |
| CAS# 127-91-3 EINECS# 204-872-5 | beta-Pinene | AH1, EHA1, EHC1, FL3, SCI2, SS1B H304, H400, H410, H226, H315, H317 | 2.50 |
| CAS# 99-87-6 EINECS# 202-796-7 | p-Cymene | AH1, EHC2, FL3, REP2 H304, H411, H226, H361 | 2.50 |
| CAS# 123-35-3 EINECS# 204-622-5 | Myrcene | AH1, EDI2, EDI2A, EHA1, EHC2, FL3, SCI2 H304, H319, H319, H400, H411, H226, H315 | 2.00 |
| CAS# 106-24-1 EINECS# 203-377-1 | Geraniol | EDI1, SCI2, SS1 H318, H315, H317 | 0.50 |
| CAS# 105-87-3 EINECS# 203-341-5 | Geranyl acetate | EHC3, SCI2, SS1B H412, H315, H317 | 0.20 |
| CAS# 97-53-0 EINECS# 202-589-1 | Eugenol | EDI2, EDI2A, SS1B H319, H319, H317 | 0.10 |

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

NO CONCERNED

4.2. Most important symptoms and effects, both acute and delayed

NO CONCERNED

4.3. Indication of any immediate medical attention and special treatment needed

Contact with skin : wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes : Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophthalmologist.

In the event of swallowed : Not make vomit, maintain the patient at rest. Resort to the medical care.

Soiled clothing : withdraw soiled clothing and re-use them only after decontamination.

5. FIRE FIGHTING

5.1. Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not easily flammable.

Prévention : Do not smoke. Do not use flame near.

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Revised : LSI_2023-1-CLP du 24/11/2023

5.3. Advice for firefighters

Never use a direct stream of water.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment during clean-up.

6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, *universal binders*, *sawdust*).

6.4. Reference to other sections

NO CONCERNED

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Close packing after use. Reproduce labelling if transfer in another container.

7.2. Conditions for safe storage, including any incompatibilities

- Avoid any useless exposure. Keep away from food and drinks.
- Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.
- Do not leave it near heat source, direct rays of the sun

7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Revised : LSI_2023-1-CLP du 24/11/2023

8.1. Control parameters

NO CONCERNED

8.2. Exposure controls

General protective and hygienic measures: Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Personal Protection :

- Hand protection: Wear gloves.
- Eye protection: Wear glasses.
- Respiratory protection : Wear a mask.
- Ingestion : Do not use, drink and smoke during use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------------|
| Color : | Colorless to pale yellow |
| Relative density (d ₂₀ /20) : | [0.905 ; 0.925] |
| Refractive index @ 20°C : | [1.465 ; 1.475] |
| Angular rotation (°) : | [-5.0 ; +1.0] |
| Flash point : | 50°C |

9.2. Other information

NO CONCERNED

10. STABILITY AND REACTIVITY

10.1. Reactivity

Dangerous reactions : No dangerous reactions known.

10.2. Chemical stability

NO CONCERNED

10.3. Possibility of hazardous reactions

NO CONCERNED

10.4. Conditions to avoid

Avoid temperatures near the flash point (see section 9). Avoid contact with oxidizing agents

10.5. Incompatible materials

NO CONCERNED

10.6. Hazardous decomposition products

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi Revised : LSI_2023-1-CLP du 24/11/2023

Thermal decomposition / conditions to be avoided: Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information : No data available.

Toxicological Informations Acute :

- **Orale**

3 870,00 (Déterminée)

- **Inhalation**

Non Déterminé

- **Skin**

Non Déterminé

11.2. Information on other hazards

According to our current information, no substances are considered to be endocrine disruptors.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

NO CONCERNED

12.5. Results of PBT and vPvB assessment

NO CONCERNED

12.6. Endocrine disrupting properties

According to our current information, no substances are considered to be endocrine disruptors.

12.7. Other adverse effects

NO CONCERNED

13. DISPOSAL RECOMMENDATIONS

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Revised : LSI_2023-1-CLP du 24/11/2023

13.1. Waste treatment methods

Product : Recommendation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers.

Not cleaned packing : Recommendation : Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



14.1. UN number

ADR/ADN/RID : 1197 (Tunnel code(D/E))

IMDG:1197

IATA :1197

14.2. UN proper shipping name

ADR/ADN/RID : EXTRACTS, LIQUID

IMDG:EXTRACTS, LIQUID

IATA :EXTRACTS, LIQUID

14.3. Transport hazard class(es)

ADR/ADN/RID : 3

IMDG:3

IATA :3

14.4. Packing group

ADR/ADN/RID : III

IMDG:III

IATA :III

14.5. Environmental hazards

IMDG : marine pollutant material

14.6. Special precautions for user

Material security data sheet

Printed : 24/11/2023 ORGANIC CAJUPUT OIL / Melaleuca cajuputi

Revised : LSI_2023-1-CLP du 24/11/2023

NO CONCERNED

14.7. Maritime transport in bulk according to IMO instruments

NO CONCERNED

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK

Valeur ICPE : **4511**

15.2. Chemical safety assessment

NO CONCERNED

16. OTHER INFORMATION

Full H sentences text in point 3 :

| | |
|------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H320 | Provoque une irritation des yeux |
| H361 | Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Material security data sheet according to 2020/878.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 6.1